



DRC INSIGHT[™] Technology Training LAS Links Lead Information Technology Coordinators Connecticut English Learners Assessments

November 2022

DRC INSIGHT^{IM} Technology Training



Connecting to Audio

- Call in using your computer audio (preferred) or through your phone
- Your audio has been Muted on entry
- Remain muted during the training

Asking Questions

- Use chat for questions
- Send them to "Hosts and panelists"
- We will pause during the session to answer the questions in the chat and there will be Q&A at the end of the presentation

Accessing This Presentation

 These slide and a recording of this session wi posted on the Connecticut DRC LAS Links W https://laslinks.com/connecticut-information/

Choose ONE of the audio conference	ence options	×		
Phone Call	Computer Audio			
Join	with Computer Audio			
Tes	t Speaker and Microphone			
Automatically join audio by	computer when joining a meeting			
	😑 Chat		- 🗆	\times
er the				
&A time				
will be	2 Who ca	n see your messages?		
	To: Hosts and panelists 🗸			☺ …
s Website	Your text can only be seen by panelists			



CSDE EL Team Contact Information



Abe Krisst

Bureau Chief Performance Office <u>Abe.Krisst@ct.gov</u>

Cristi Alberino, Ph.D.

- Smarter Balanced Interim and Summative, LAS Links, Appeals
- 860-713-6862

Cristi.Alberino@ct.gov

Megan Alubicki-Flick

- Grants, PD, CELP Standards
- (860) 713-6786

Megan.Alubicki@ct.gov

Janet Stuck

- LAS Links and Special Populations
- (860) 713-6837

Janet.stuck@ct.gov

Michael Sabados, Ph.D.

- Accountability, EdSight and Reporting
- (860) 713-6856

Michael.Sabados@ct.gov



Topics

- Key Dates
- What's Changing and What's Not
- DRC INSIGHT Solution Overview
- DRC INSIGHT System & Network Requirements
- DRC INSIGHT Technology Setup
- Support and Troubleshooting Resources
- Questions and Answers







Key Dates



Date	Item
December 5	 Repeat of this Technology Webinar Training
January 3 – March 3, 2023	• 2022-23 LAS Links Test Window
December 5	 ELAC's receive access to the LAS Links DRC INSIGHT Portal
December 5	 District begin scheduling Test Sessions in the D INSIGHT Portal





CHANGE AHEAD

What's Changing and What's Not



What's Changing

• New URL added to the network allow-list

What's Being Updated

- Supported operating systems see System Requirements
- DRC INSIGHT Secure Applications updated to version 13.x
 - Will prompt to update when the application is launched
- COS Service Device updated to version 6.x
 - Auto-updates if left on overnight with an Internet connection
 - Or use the COS Application to update manually

What's Not Changing

- Supported Testing Device platforms Windows, macOS, Linux, iPadOS and Chrome OS
- COS Service Device and testing device specifications
- Use the same COS Configurations and COS Org Unit ID






SECURE, REPORTING www. WEB-BASED SUITE SYSTEM CONNECTIVITY **Solution Overview** STUDENT AND TECHNOLOGY EXPERIENCE **READINESS TOOLS** DRC INSIGHT INSTRUCTIONAL RESOURCES AND PLATFORM AGNOSTIC TECHNOLOGY ONLINE LEARNING SYSTEM TOOLS FOR EDUCATORS

DRC INSIGHT^M Solution Overview







DRC INSIGHT Portal – <u>https://ll.drcedirect.com/</u>



	Welcome to the DRC INSIGHT Portal
	Data Recognition Corporation (DRC) welcomes LAS Links educators to DRC INSIGHT!
DRCINSIGHT	This website enables you to quickly and easily access all test administration tools in one location, from test preparation to reporting of your LAS Links test results.
Sign In Username *	To access your reports, authorized district and school personnel need to log onto the secure site with their e-mail address and password. To log on, press the Log On link in the upper right of this page.
Password *	To find out more information about LAS Links, select the General Information link under All Applications at the top of this page. Then select Documents .
Show Text	ACCESS ONLINE TOOLS TRAINING WITH GOOGLE CHROME
Sign in	Publicly accessible versions of the Online Tools Training are available. Please copy the link below into Google Chrome to access these practice opportunities. Note that Google Chrome is the only supported browser for this public version of the Online Tools Training.
Forgot your password?	WBTE Portal: https://wbte.drcedirect.com/LL/portals/II

Administrative website for managing assessments



DRC INSIGHT Portal – <u>https://ll.drcedirect.com/</u>



	MY APPLICATIONS -			JF
Welcome to the DR Congratulations, you have succes Several helpful links are just a clie If you are having difficulty naviga	PARTICIPANT PREPARATION Student Management Student Group Management Test Administrator Management User Management TEST PREPARATION Administration Setup	POST-TEST ACTIONS Student Management SCORING AND REPORTING Educator Scoring Report Delivery Interactive Reports	ORDERING Ordering Home	p of this screen. ort team:
LASLinksHelpDesk@datarecogni 866.282.2250 (8:00 a.m 4:30 p.n LAS Links Training Modules for Ec Interactive Reports Online User G ACCESS ONLINE TOOLS	Test Management TEST ADMINISTRATION Test Monitoring	GENERAL INFORMATION General Information TECHNOLOGY SETUP Central Office Services		
Publicly accessible versions of the browser for this public version of the WBTE Portal: https://wbte.drcedire	he Online Tools Training.	ease copy the link below into Goog	;le Chrome to access these prac	tice opportunities. Note that Google Chrome is the only supported

Contact Us

Technology Set

- Download installers
- Set up and manage Central Office Service Configurations

Test Administration

- Set up and manage student information and test sessions
- Manage and monitor testing

DRC



© DRC Insight 2021


Site Installation and Support



COS Service Device



Central Office Services (COS) Service Device for local content hosting



DRC INSIGHT Secure Application is installed on testing devices to ensure a secure testing experience

- User-friendly installation wizards
- No reliance or dependencies on third-party software
- No conflicts with other software running on devices
- Software automatically updates



DRC INSIGHT Secure Applications Overview

Installed on testing devices to help provide a secure testing experience

Windows, macOS, and Linux Installer

Available in the DRC INSIGHT Portal under the Downloads tab in General Information



iPadOS, Chrome OS device, and Windows 10 in S mode Installer

Available in Apple's App Store, Google Play, and Microsoft Store

- For iPads, the installer is only available in the App Store directly to the device or download and deployed using a Mobile Device Manager (MDM) solution
- For Chrome OS, the installer is only available via an URL link to the Google Play store and deployed using the Google Admin console
- Windows 10 in S mode installer is only available in the Microsoft Store directly to the device





- Content Hosting service
- Supported on Windows, macOS and Linux operating systems
- Installers are on DRC INSIGHT Portal Downloads page
- Automatic scalability for leveraging all available resources on the installed device
- Delivers round-robin load balancing if there is more than one COS Service Device





- Provides additional test security
 - Requires testing device to have the same network connection during the assessment
- Hosts testing content closer to the student
- Reduces wide-area network and/or Internet bandwidth
- Offers more consistent experience across sites
 - Especially for assessments with audio, images and video
- Addresses equity concerns around delivering equivalent student experiences






DRC INSIGHT System and Network Requirements



System Requirements





18


- Detailed system requirements for DRC INSIGHT Online Testing
- Updated System Requirements posted to the DRC INSIGHT Portal June 30
- Updated three times during the year
 - June Upcoming year's specifications
 - October Operating System updates
 - February Operating System updates



System Requirements

19






- DRC INSIGHT Secure Applications are supported on Windows, macOS, Linux, iPadOS, and Chrome OS Operating System devices
- COS Service Devices are supported on Windows, macOS, and Linux devices
- Note: Any testing device operating system type can connect to any COS Service Device operating system type; the two operating system types <u>do not need to match</u>



See DRC INSIGHT Portal for up-to-date Documents -- My Applications → General Information → Documents or See Connecticut DRC LAS Links Website <u>https://laslinks.com/connecticut-information/</u>

Change Management—Operating Systems Support





- Prerelease: Beta Channel
 - Regression testing of beta release about 2-4 weeks before OS release


Phase 1: Best Effort Support for Vendor Recently Release Versions

- Additional rounds of regression testing to verify actual production release
- Troubleshoot any issues to resolution
- Phase 2: Fully Supported
 - Fully tested and certified with full support if any issues are uncovered
- Phase 3: Best Effort Support for Vendor Recently Unsupported Versions
 - Assistance troubleshooting issues as best we can without a guaranteed resolution
- Phase 4: End of Support
 - DRC cannot offer any level of support for our software on this version and may restrict its use



Operating System Version Support







See DRC INSIGHT Portal for up-to-date Documents -- My Applications → General Information → Documents or See Connecticut DRC LAS Links Website <u>https://laslinks.com/connecticut-information/</u>

System Requirements Key Updates



- No changes to Test Device or COS Service Device specifications
- Google Chrome OS v102 and above
- Microsoft
 - Windows 8.1 and Windows Server 2012 R2 ending support in 2023
 - Windows 8.1 support ends on January 10, 2023
 - Windows Server 2012 R2 support ends on October 10, 2023
 - Best Effort Support for both through May 2023
 - DRC plans to end support for both starting end of June 2023
- Apple
 - Expecting Apple to add macOS 13 and iPadOS 16
 - Expecting Apple to ended support for iPadOS 14
- Linux
 - Will be adding support for Ubuntu 22.04





- Full Support of DRC software on <u>vendor-supported</u> devices that meet device and supported operating system requirements
- Once vendor ends support for a device, DRC provides Best Effort Support for a short period before ending support
- Apple bases iPad model support on whether the model supports the latest operating system update
- All Chrome OS device support is based on Google's Auto Update Expiration (AUE) date
 - Based Chrome OS device model's first production date, <u>not</u> its purchase date; typically, 5-6 years after first production release
 - Google's Auto Update policy and the list of Chrome devices with AUE dates: support.google.com/chrome/a/answer/6220366





- When AUE date is reached:
 - Operating system updates are no longer guaranteed
 - Necessary security and functionality upgrades cease
 - Availability of Google Management Console for device is suspended
- DRC offers Best Effort Support for unmanaged Chrome OS device if:
 - A supported DRC INSIGHT Secure App for Chrome OS was installed before it became unmanaged
 - Chrome OS devices meets the device and supported operating system requirements



- Chrome OS Flex is a reduced-feature Chrome operating system
- Designed for older PC and MAC hardware with limited resources
- Sites need to partner with Google for the Chrome OS Flex solution
- Chrome OS Flex is supported for testing with DRC INSIGHT if testing devices meets DRC's Chrome OS system requirements
- Sites using Chrome OS Flex should follow the DRC INSIGHT Secure App for Chrome OS installation instructions



Accessing DRC System Requirements




- Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/
- DRC INSIGHT Portal (<u>https://ll.drcedirect.com</u>)

	LEADING THE WAY IN LANGUAGE ASSESSMENT	
General Information Announcements Documents Downloads Test Tu	utc	
Test Setup General Information	HOME ASSESSMENT SOLUTIONS * RESOURCES * DIGITAL LIBRARY * ORDER FORMS IMPLEMENTATION SERVICES STATE PAGES CUSTOMER LOGIN * CONTACT US TESTIMONIALS FAQS Search LAS Links Q	
Testing Software	and a second	
Title Platform Operating Systems DRC INSIGHT iPad iPadOS/iOS iPadOS 13.1, iPadOS 13.0,	Connecticut DRC LAS Links Website	
The DRC INSIGHT iPad app is now available from the Apple App Store. Search for DRC INSIGHT.	<u>CSDE</u>	
Capacity Estimator Excel Microsoft Excel Excel 2007	CONNECTICUT STATE DEPARTMENT OF EDUCATION	
Use the installer above to download the Capacity Estimator. This tool estimates testing response times by	us	
View System Requirements Monitor Setting Verification	The <u>Connecticut State Department of Education (CSDE</u>) will be using the LAS Links Assessment for the ELP Assessments for all students in Grades K-12 for the 2021, 2022 and 2023 test administration. The CSDE believes that high-quality, comprehensive and effective English as a Second Language (ESL) and bilingual education programs are essential to acquire English language proficiency	



DRC INSIGHT Testing Network Traffic







	LAS Links
Test Type (Fixed Form or Computer Adaptive)	Fixed Form
Content Delivery	Delivered throughout test
Average Assessment Content Size	2-3 MB per Item
Average Response Size	< 5 KB to > 600 KB
Additional Peripherals	Headset with Microphone
Network Requirements During Test	Higher



Network Setup



- Prioritize DRC INSIGHT traffic on the network
- Ensure these URLs are allowed on all content filters, firewalls, and antivirus software (Bold URL is new this year)
- Wildcard *.drcedirect.com
- Port/Protocol applies to all the URLs
 - 80/http
 - 443/https

URL Allowlist


ELL Assessments

https://east-1-drc-wbte-prod-ILs3.amazonaws.com https://east-2-drc-wbte-prod-U.s3.amazonaws.com https://ll.drcedirect.com https://ll-insight.drcedirect.com https://II-insight-client.drcedirect.com https://ll-te.dreedirect.com https://eca-test-engine-service-ll.te.drcedirect.com Shared by all Assessments: https://api-gateway.drcedirect.com https://api-gateway-cloud.drcedirect.com https://cdn-content-prod.drcedirect.com https://cdn-download-prod.drcedirect.com https://drc-centraloffice.com https://drc-wbte-prod.s3.amazonaws.com https://dtk.drcedirect.com https://wbte.drcedirect.com https://us-east-1-content-hosting-form-locker-prod.s3.us-east-1.amazonaws.com https://us-east-2-content-hosting-form-locker-prod.s3.us-east-2.amazonaws.com https://www.drcedirect.com





DRC INSIGHTTM Technology Setup




Central Office Services (COS) Application



- Use COS to create, monitor and maintain COS Configurations
- COS Configurations establish for testing devices the association of available testing programs and where testing devices get test content

COS Service Devices **provide** local content hosting services to the COS Configuration

If COS Service Device is not included or is unavailable for more than 4 hours, content comes from DRC



COS Configuration

Devices with a DRC INSIGHT Secure Application are **registered** to the COS Configuration





Activity 1: Installing a New COS Service Device

Activity 2: Installing DRC INSIGHT Secure Applications

Activity 3: Managing COS Configurations






Activity 1 Install a New COS Service Device



Installing a New COS Service Device





- Prepare a host machine with a supported operating system
- Download and launch the installer to begin the wizard install process
- When prompted, it is recommended to use the default locations





- Configure Service Ports
 - Specify the base port (usually the default value of 55222 will work)
 - After entering the base port, the install automatically selects consecutively numbered ports
- Test Service Ports
 - Click "Test" to verify port availability
 - Click "OK" and "Next" (or "Cancel" to exit the installation)

Central Office Installer Setup	X
Central Office requires two ports are calculate Base port Additional ports	next
55225 Test	ancel



Installing a New COS Service Device



- The "Completing the Central Office Wizard" window appears
 - Save the URL that displays in this window.
 - The URL can be used to resume the process, if necessary, without reinstalling the COS Service Device

😢 💷 Central Office Installer Setup			
Completing the Central Office Wizard		Central Office Installer Setup	
		Completing the Central Office	
Completing the Central Office Installation Wizard.	N Date	Completing the Central Office Install	Central Office Installer Setup
When you click Finish, you must use the browser scre displayed to select the configurations for this device. the end user license agreement and then follow the s configuration wizard. If a log in screen appears, you r the configuration wizard screens appear. Or if you need to wait till later before performing the steps, please save this unique URL. You can go to it la into your browser. https://cdn-app-staging.drcedirect.com/all/eca-centra		When you click Finish, you must i screen that is displayed to select this device. You must accept the agreement and then follow the st configuration wizard. If a log in so must log in before the configurat appear. Or if you need to wait till later bef configuration steps, please save can go to it later by pasting it into ices/3439fcb4-4783-4df0-9119-	Completing the Central Office Wizard Completing the Central Office Installation Wizard. When you click Finish, you must use the browser screen that is displayed to select the configurations for this device. You must accept the end user license agreement and then follow the steps in the configuration wizard. If a log in screen appears, you must log in before the configuration wizard screens appear. Or if you need to wait till later before performing the configuration steps, please save this unique URL. You can go to it later by pasting it into your browser. Irect.com/all/eca-central-office-ui/services/4b227e31-a6d0-4ead-bab9-f1caff328a4f/setup
			Finish



Installing a New COS Service Device



CONNECTICUT STAT

EPARTMENT OF EDUCA

DECENSION Sign In Username* Password* Sign in Sign in	Welcome to the DRC INSIGHT Portal Data Recognition Corporation (DRC) welcomes LAS Links educators to DRC INSIGHT! This website enables you to quickly and easily access all test administration tools in one location, from test preparation to reporting of your LAS Links test results. To access your reports, authorized district and school personnel need to log onto the secure site with their e-mail address and password. To log on, press the Log On link in the upper right of this page. To find out more information about LAS Links, select the General Information link under All Applications at the top of this page. Then select Documents. ACCESS ONLINE TOOLS TRAINING WITH GOOGLE CHROME Publicly accessible versions of the Online Tools Training are available. Please copy the link below into Google Chrome to access these practice opportunies. Note that Google Chrome is the only supported browser for this public version of the Online Tools Training. WBTE Portal: https://wbte.drcedirect.com/LL/portals/I!	 wizard will automatically launch the DRC INSIGHT Portal If you are not already signed in login window displays
© DRC Insight 2021 Co	tact Us Terms of Use Privacy Policy Browser Requirements	

Installing a New COS Service Device



CONNECTICUT STATE DEPARTMENT OF EDUCATIO

Device: 16813120-d5bf-4d05-b20c-2a00e2839baa		
Step 1 Service Device Name Use Existing Configuration Use Existing Configuration Use Existing Configuration Check this checkbox to change this page to the 2-Step process Configuration Name* Testing Devices Configuration Enable Auto Updates for testing devices Use Provy Itot		The configuration wizard defaults to the 5-step process for creating a new COS Configuration.
<pre>step 3 step 3 step 3 Testing Programs (0) Testing Programs (0) Location step 4 Content Management Enable Content Management Content Manageme</pre>	Remove	Check the "Use Existing Configuration" checkbox
Enable Content Hosting Content Hosting Content Management to allow activation. Complete DRC Insight 2020 Privacy Policy Terms of Use Contact Us	DRC	

Installing a New COS Service Device



Device: 16813120-d5bf-4d05-b20c-2a00e2839baa Configure Central Office Service	Step 1: Naming the new COS Service Device
Step 1 Service Device Name	 Give the new COS Service Device a name (3-50 characters)
Service Device Configuration Use Existing Configuration? Ves Step 2	Step 2: Find the existing COS Configuration to which we want to associate the new COS-SD
Link Device to Existing Configuration Testing Program: Select Testing P V Site: Select a Site Searching In: Selected Configuration: Name:	 Select the Testing Program Search for the Site (School or District) Search for the existing COS Configuration Verify the name and Org Unit ID and then click "Complete" to complete the configuration wizard
© DRC Insight 2020 Privacy Policy Terms of Use Contact Us	DRC



COS Dashboard



Testing Program: Beacon Interim ∨	Site: Sample District - 9999	0999 Change Site	Clear			+ Add Configurati
COS Configurations		COS Service Device	25		Testing Devices	
Functional	98%	Functional		50%	Recently Active	
Unable to Find	2%	Unable to Find		50%	Idle for 31+ days	
Processing Content	0%	Processing Content		0%		
Content Outdated	0%	Content Outdated		0%		
COS-SD Version Outdated	0%	COS-SD Version Outdated		0%		
Config Status: All	Search: Search Typ	pe 🗸 Sea	arch Q		Clear Refresh	
Config Status: All COS Configuration Name		pe Y Sea	arch Q Status	COS Service	Clear Refresh	COS Locations
	01			COS Service Devices / Last	↓ Testing Devices	COS Locations 18
COS Configuration Name	01	rg Unit ID	Status	COS Service Devices / Last CheckIn	Testing Devices 494	
COS Configuration Name Stag - Public VM COS SD A., CM CH	13	rg Unit ID	Status FUNCTIONAL	COS Service Devices / Last Checkin 1 6/23/20 4:40 PM	Testing Devices 494	18
COS Configuration Name Stag - Public VM COS SD A CM CH test 2626 final CM CH	38	rg Unit ID 362902414	Status FUNCTIONAL UNABLE TO FIND	COS Service Devices / Last Checkin 1 6/23/20 4:40 PM 1 10/31/19 5:59 PI	 Testing Devices 494 0 	18
COS Configuration Name Stag - Public VM COS SD A CM CH test 2626 final CM CH CY Testing Config	00 13 38 78 63	rg Unit ID 362902414 89252269 81176537	Status FUNCTIONAL UNABLE TO FIND FUNCTIONAL	COS Service Devices / Last CheckIn 1 6/23/20 4:40 PM 1 10/31/19 5:59 Pf 0	 Testing Devices 494 0 4 	18 1 2

Central Office Services Dashboard

A new COS Configuration will appear on the COS Dashboard after about 3-5 minutes

Note the COS Org Unit ID

This will be used for manual installs of the DRC INSIGHT Secure Applications





Activity 2


Installing DRC INSIGHT Secure Applications





DRC INSIGHT Secure Applications are installed on each testing device

This software can be manually installed on each testing device or using mass distribution solutions to install on a group of testing device





DRC INSIGHT System Readiness Check



		System Info	rmation			
Client Version	Configuration Source	eyeteini inie		stallation Directo	rv	
13.0.0	Device Toolkit	C:\P			T Online Assessment	5
Machine Name	User Name		Operating System			OS Version
DRC28237	LVethe	M	icrosoft (build 183			10.0
Testir	ng Device ID		Service Device ID		Content Hosting	HTTPS Proxy
CAB2F0BC-BA62-48F6	B3E7-C0BF45A1352B	E4404BBF-B243-	43F9-9406-7B82A	5D9D463	Yes	
COS Configurat	ion Name	COS Org Unit ID			Location	
Luke		2089187281		Drc Use Only	- Sample District N/A	
		Required T	est List			
Status		Test Na	me			Details
O	Audio Capability					Details
O	Client Version					Details
O	Internet Connection					Details
O	Operating System Lev	vel				Details
O	RAM					Details
O	Screen Resolution					Details
O	Service Device Conne	ection				Details
O	User Agent					Details
		I Results Execute Tests	Test Audio	Exit		
	Co	pyright © 2019 Data Re	cognition Corpora	ition.		

- Verifies that each testing device meets the minimum system requirements for testing
- Ensures testing device is operating properly prior to testing
- Limits delays on the day of testing





DRC	Configuration Not Found Please raise your hand and wait for help. ntact your technical resource and provide them with the following info C INSIGHT cannot retrieve the configuration profile associated with th use it cannot find the Device Toolkit ORG Unit ID. The ORG Unit ID w incorrectly, was deleted, or was not assigned to this device.	is device	 Launch DRC INSIGHT Register with a COS Configuration by clicking "Assign Device to ORG Ur 	nit"
	Click Assign Device to ORG Unit to enter the correct ORG Unit or click Cancel to end the process. Assign Device to ORG Unit Cancel	Note: Yo	Device Registration evice to a Device Toolkit ORG Unit, enter the ORG Unit ID (or copy and paste it) and click Add. u can repeat this step if you want to access more than one testing program from this device. e ready, click Register to register the device or Cancel to cancel the process. 1362902414	
	the ORG Unit ID from ty 2 click ''Add''			
	adding the ORG Unit, 'Register''		Register	
A A				CONNECTICUT STATE DEPARTMENT OF FORCATO



Activity 3 Managing COS Configurations

Testing Program: Showcase V Site: Sam	ple School - 99998	Change Site	Clear			+ Add Configuration	
COS Configurations		COS Service Devi	ces		Testing Devices		
Functional	75%	Functional		100%	Recently Active	50%	
Unable to Find	25%	Unable to Find		0%	Idle for 31+ days	50%	
Processing Content	096	Processing Content		0%			
Content Outdated	096	Content Outdated		0%			
COS-SD Version Outdated	0%	COS-SD Version Outdated		0%			
Initializing	0%	Initializing		0%			
COS Configuration Name	0	g Unit ID	Status	COS Service Devices / Last	Testing Devices	COS Locations	
Sample COS Configuration CM CH		3625425	Functional	CheckIn 1 5/22/19 6:01 PM	1	3	
KMS Showcase	37	1969110	Functional	0	3	1	
Test Configuration - Alte	56	5181623	Functional	0	0	1	
Test Configuration - JMF	64	6604943	Functional	0	0	2	



COS Configurations are managed from the COS Dashboard

- Use Content Management to manage content hosted by the COS Configurations
- Manage Devices in COS Configurations

COS Configurations		COS Service Device	s		Testing Devices		
Functional	75%	Functional		100%	Recently Active	50%	
Unable to Find	25%	Unable to Find		0%	Idle for 31+ days	50%	
Processing Content	0%	Processing Content		0%			
Content Outdated	0%	Content Outdated		0%			
COS-SD Version Outdated	0%	COS-SD Version Outdated		0%			
Initializing	0%	Initializing		0%			
COS Configuration Name	0	g Unit ID	Status	COS Service Devices / Last CheckIn	Testing Devices	COS Locations	
Sample COS Configuration CM CH	21	3625425	Functional	1 5/22/19 6:01 PM	1	3	
KM Showcase	37	1969110	Functional	0	3	1	
Tes Configuration - Alte	56	5181623	Functional	0	0	1	
Tes Configuration - JMF	64	6604943	Functional	0	0	2	

- Select COS Configuration name



Central Office Service Embedded Online Help



ILINE LEARNING SYSTEM	Central Office Services (COS) Online Hel			
anaging COS » Usir	ng the COS Dashboard		~ 다 ~	
Using the	e COS Dashboard		-Search-	Q
From the COS inter	rface, select a Testing Program and a Site to display the COS Dasht	ooard.	Index Glossary Overview	
Testing Devices—	shboard appears, three charts— COS Configurations, COS Servic display at the top of the COS Dashboard. The COS Dashboard char		About COS Online Help Audience and Topics Using the COS Online Help	
below list the status Note: The percenta COS Configurations	ercentage of COS Configurations or devices that have a particular s ses that display in the COS Dashboard plus a brief description of ear age values displayed in each chart represent the percentage of devic s created for that testing program and site.	tatus. The grids ch status.	Navigating the COS Online H Printing Topics Managing COS	lelp
below list the status Note: The percenta	ercentage of COS Configurations or devices that have a particular s ses that display in the COS Dashboard plus a brief description of ear age values displayed in each chart represent the percentage of devic s created for that testing program and site.	tatus. The grids ch status.	Navigating the COS Online H Printing Topics	
below list the status Note: The percenta COS Configurations COS Configurat COS Configuration	ercentage of COS Configurations or devices that have a particular s see that display in the COS Dashboard plus a brief description of ear age values displayed in each chart represent the percentage of device s created for that testing program and site. tions Chart	tatus. The grids ch status.	Navigating the COS Online H Printing Topics Managing COS The COS Dashboard 〈 Using the COS Dashboard Starting and Stopping the CO	bs
below list the status Note: The percenta COS Configurations COS Configurate COS Configuration Status	ercentage of COS Configurations or devices that have a particular s sees that display in the COS Dashboard plus a brief description of ear age values displayed in each chart represent the percentage of device s created for that testing program and site. tions Chart The percentage of COS Configurations with one or more COS – SDs that have an active heartbeat (i.e., are checking in to DRC). at least one COS – SD that is not checking in. at least one COS – SD that is currently downloading or processing content.	tatus. The grids ch status.	Navigating the COS Online H Printing Topics Managing COS The COS Dashboard < Using the COS Dashboard Starting and Stopping the CO Services COS Service Device System Requirements COS Service Devices and the Number of Students Testing	os
below list the status Note: The percenta COS Configurations COS Configuration COS Configuration Status Functional Unable to Find Processing	ercentage of COS Configurations or devices that have a particular s ses that display in the COS Dashboard plus a brief description of ear age values displayed in each chart represent the percentage of device s created for that testing program and site. tions Chart The percentage of COS Configurations with one or more COS – SDs that have an active heartbeat (i.e., are checking in to DRC). at least one COS – SD that is not checking in. at least one COS – SD that is currently downloading or	tatus. The grids ch status.	Navigating the COS Online H Printing Topics Managing COS The COS Dashboard < Using the COS Dashboard Starting and Stopping the CO Services COS Service Device System Requirements COS Service Devices and the	os







Configuration Information

Ability to:

- Update COS
 Configuration name
- Change Enable Auto Updates for Windows, macOS and Linux testing devices
- Change the use of a proxy host if required







Testing Devices

- Verify Devices' status in the COS Configuration
- Move devices between COS Configurations
- Remove Testing Devices


DRCINSIGHT	SHOWCASE - CENTRAL OFFICE	SERVICES -									? 🧊	
•	ightarrow Configuration $ ightarrow$ Testing Devic	es										
	ample COS Configura	ition							Delet	te Configuration		
Org	g Unit ID: 213625425											
	Configuration Information	Testing Devices	Service Devices	Locati	ions	Content Management	Content	Hosting	Deployment			
	Testing Device: Testing Device ID	Add										
	Search: Search Type	✓ Search	Q	Search	Clear	Readiness	Check: 7745	Refresh Data	Move	Remove		
	D ID	Name		Version	User		Internal IP	External IP	Last Seen			
	729E29F7-1D21-4559-			version	User	Туре	Internal IP	External IP	9/23/21 1:53 PM	Logs View Logs		
	0C703C40-F66C-4E9E-					~~ #			9/23/21 1:03 PM			
	D2751968-1955-4C8F-	B1B0-8151A60FDB19				<i></i>			1/6/21 8:48 AM	View Logs		
			Total 3 items	< 1	> 100/p	age 🗸 🛛 Goto						
DRC Insight 2021			Contact Us	Terms of Us	<u>e</u> <u>Privac</u> y	Policy Browser Req	uirements				DIRALICOS MILION	





Ability to:

- Verify status of the COS Service Devices in the COS Configuration
- Add and Remove COS Service Devices
- Update software version of the device
- Validate device content
- Change the COS
 Service Device name



Activity 3

DATA RECOGNITION



Locations

Ability to:

- Verify status of the testing programs in the COS Configuration
- Add and Remove testing programs

A → Configuratio						_		
Sample CO	S Configuration					De	lete Configuration	
Configuratio	n Information Testing Devic	es Service Devices	Locations	Content Management	Content Hosting	Deployment		
Testing Program:	Select Testing P V Site:	Select a Site						
Locations (1)							Remove	
		•			6 - F			
	Location Is Links (LL) > Sample District	Actions	•		Configuration Status Service Device			
RC Insight 2022		Contact Us	Terms of Use Priv	vacy Policy Browser Req	uirements			DRC



Frequently Asked Questions



Content Management

Ability to:

- Select the appropriate testing content to be hosted on the COS Service Device
- Select any accommodations to be hosted on the COS Service Device
 - TTS/HVA accommodations will be "checked" if they were selected in the prior year

DRC	ice services 👻			? .
$\Uparrow ightarrow$ Configuration $ ightarrow$ Content Mana	agement			
Sample COS Configura	ition		Dele	te Configuration
Org Unit ID: 213625425				
Configuration Information	Testing Devices Service Devices	Locations Content Manageme	nt Content Hosting Deployment	
Enable Content Management)		Update C	onfiguration
Admin			TTS/HVA	VSL
ELL030 LAS Links				
ELL040 preLAS Online				
© DRC Insight 2022	<u>Contact Us</u>	Terms of Use Privacy Policy Browser	Requirements	DRC
	- 2- 2- 5-			CONSTRUCT,



IMPORTANT – Before testing starts, verify active administration content and accommodations are selected and downloaded



Content Hosting

Ability to:

- Enable or disable Content Hosting by COS Configuration
- Manage Hardware Load Balancers
- Manage Shared Content

		•			
DRCANSIGHT	SHOWCASE - CENTRAL OFFICE SERVICES -				? 🧊
1	\rightarrow Configuration \rightarrow Content Hosting				
	Sample COS Configuration			Delete Configuration	
	18 UNICIU. 213023423			_	
	Configuration Information Testing Devices S	Service Devices Locations	Content Management Content Hosting	Deployment	
	Enable Content Hosting			Update Configuration	
	Content Sources Sample COS Configuration Primary Source				
	Do you have a load balancer?				
	Do you have a shared content location?				
© DRC Insight 2021		Contact Us Terms of Use Privacy	Policy Browser Requirements		DRC
				<u>-</u>	20170121102
_	<u></u>	- 5- 5- 1			-
		_			





Two methods to assign testing devices:

- 1. Manually assign COS ORG Unit ID to testing devices (Activity 2)
- 2. Within COS, create configuration script for deployment to testing devices




Create Configuration Script for Deployment to Testing Devices



Ability to:

- Create COS Configuration distribution files for Testing Devices
- Save and distribute the file to testing devices (See Technology User Guide Volume III: DRC INSIGHT)



Activity 3



DATA RECOGNITION



Testing Device Preparation Recommendations





Test security considerations:

- COS Configurations should have a COS Service Device(s) that can only be accessed from the school/district network
 - Prevents students accessing tests when not on site
- Consider adding the DRC INSIGHT Secure Application immediately before the testing session, and remove immediately after the testing session
 - Chrome Device Management Console and other software distribution tools support background installs and uninstall
- Ensure that test tickets are secured at all times





- DRC INSIGHT software does not:
 - Change device settings
 - Turn off background processes
- For Test Security and Device Performance before testing temporarily disable:
 - Automatic Updates (Operating System and Software)
 - Background software and/or processes



Device Software and Background Processes Examples



- Instructional Software
 - Typing assistant and grammar checking
 - (e.g., Grammarly, Ginger Software, ProWritingAid)
 - Classroom monitoring
 - (e.g., Linewize Classwize, Wellbeing, GoGuardian, Securly)
 - Remote access/remote control

(e.g., TeamViewer, AnyDesk, Remote PC, LogMeln)

- Intelligent Personal Assistant (IPA) (e.g., Siri, Cortana)
- Collaboration (e.g., Teams, Zoom, Google Chat and Meets)
- Screen Capture Software (e.g., Microsoft Game Bar)





- Chrome OS Device Display Size should be set to 100%
 - Use Ctrl + Shift + 0 (Number zero not the letter O)
 - If the size does not change use Ctrl + Shift + (minus key)
 - Or go to Settings, Device, Displays, under Built-in Display set Display Size to 100%





Support and Troubleshooting Resources

. B .. TROUBLESHOOTING $\langle \rangle$ 0 0 0 0



Sites should have a plan for remedying issues during testing and escalating issues when necessary.

Common issues include:

- Network connection issues
- Configuration not found
- Peripherals not setup before testing
- No Audio





Online System Status




		vstems Operation d at 10/01/21 18:0 ⁻		
SERVICE				STATUS
DRC INSIGHT Online Testing Online Testing				Normal Operations
Educator Scoring Local Student Scoring				Normal Operations
DRC INSIGHT Portal Test Setup, Administration and Re	eporting			Normal Operations
The LAS Links Customer	Service team can be reached at 1-	-866-282-2250 or b	y email at LASLinksHelpDesk@dat	arecognitioncorp.com.

Status of each system, with additional details, if issues are identified




https://status.drcedirect.com/LL






DRC Online Readiness Documents and Tools





Accessing DRC Online Readiness Documents and Tools





66 Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/



Title	Content Summary				
Volume I: Introduction to Online Testing	Provides overview of the DRC INSIGHT technical components				
Volume II: Central Office Services (COS)	Details on Central Office System, including the COS Service Device				
Volume III: DRC INSIGHT	Detailed instructions for installing and using DRC INSIGHT				
Volume IV: Troubleshooting	Solutions for most common issues				



67 Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/

Central Office Service Embedded Online Help



	sing the COS Dashboard	아 다 아
Using th	e COS Dashboard	-Search-
	erface, select a Testing Program and a Site to display the COS Dashboard.	Index Glossary Overview
Testing Devices- bar indicating the below list the state Note: The percent	ashboard appears, three charts—COS Configurations, COS Service Devices, a —display at the top of the COS Dashboard. The COS Dashboard charts display a percentage of COS Configurations or devices that have a particular status. The g uses that display in the COS Dashboard plus a brief description of each status. tage values displayed in each chart represent the percentage of devices within all ns created for that testing program and site.	color Using the COS Online Help rids Navigating the COS Online Help
COS Configura	ations Chart	The COS Dashboard
Configuration Status	The percentage of COS Configurations with	Starting and Stopping the COS Services
Functional	one or more COS – SDs that have an active heartbeat (i.e., are checking in to DRC).	COS Service Device System Requirements
	at least one COS – SD that is not checking in. at least one COS – SD that is currently downloading or processing content.	COS Service Devices and the Number of Students Testing
Unable to Find Processing Content		Configuration Information
	at least one COS – SD with content that is out of date.	Testing Devices Service Devices



68 <u>https://assets.drcedirect.com/Common/COS_Online_Help/topic.htm?#t=About_This_Online_Help.htm</u>

Site Technology Readiness Checklist



Day of Testing Communication □ Send a reminder email to staff to avoid using the network (LAN, WAN, and Internet) for bandwidthintensive projects during testing. CHECKLIST INTRODUCTION Site Planning, Scheduling and Logistics This document is a guide for sites implementing LAS Links Online assess □ Check with building administration regarding the timing of building bells, alarms, or announcements that Technology Coordinators and other educators within schools and districts may go off during the test session. Links Online Site Technology Readiness (Deploying LAS Links Onlin The checklist is designed to identify various factors that a site should addre Technology – COS Service Device Setup online testing experience. On the Service Device tab of Central Office Services application, ensure that the COS Service Device status The checklist is organized by the recommended timeframes and categorie is "Functional". On the Content Management tab of Central Office Services application, confirm the testing content for the **Timeframes** 2-3 Months Before Testing necessary test administrations are checked and that the correct content has been downloaded to the COS 1-2 Months Before Testing Service Devices. 2-4 Weeks Before Testing 1-2 Weeks Before Testing Technology – Testing Device Setup Day of Testing Test each device at the beginning of the day (including charging equipment as applicable). Categories Communicatio Perform a System Readiness Check on at least one testing device. Site Planning, Scheduling and Logistics Verify that no background processes are running on testing devices during testing. Technology – Device Setup □ If testing device accept automatic operating system updates, verify that it has the most current version of Technology – Network Configuration Technology – COS Setup the operating system before the test session starts to avoid any software updates occurring during a test. Training Ensure that testing devices are far enough apart to avoid interference or distractions. Coordinators, Technology Coordinators, District Assessment Coordinator Chrome devices launch very quickly. Direct students to wait for the device to successfully connect to the Directors, and others to work together as a site planning team. This site planning network before launching the DRC INSIGHT Secure App. If DRC INSIGHT is launched before the device least three months before the start of testing. connects to the network, the student will receive an Internet Connection Error (ICE). If this occurs, relaunch As you use this checklist, remember to update it regularly to ensure that it DRC INSIGHT after the connection is established. technological resources at your site. If a portable device will be used on battery power, verify that the charge will last for the duration of the test. Note: It is recommended that all devices be plugged in to power during the test. Technology – Network Configuration Technology staff should verify that the wireless access points are fully operational. Require anyone in the testing room(s) and anyone sharing the testing room's wireless access point to turn off any wireless devices not used for testing. □ Stagger the logins to the testing system. For example, have 10 to 15 students per room log in to the system over 20-30 second intervals. □ If a room is having difficulties testing, verify the connection speed from a device in the testing rooms, ideally when the other devices are using the network. Run a Speed Test using www.speedtest.net to a LAS Links Site Technology Readiness Checklist, 2017-2018 server in Minnesota. Results of less than 3 Mbps download and 3 Mbps upload per testing device indicate there may be insufficient available bandwidth.

CONNECTION STATE DESCRIPTION OF ERFLORMENT

Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/

DRC INSIGHT Headset Guidance



DRC INSIGHT Headset Guidance The following audio guidelines are to help maximize the potential for testing success: Make sure the headset is set as the preferred playback device. Students will not be able to adjust the volume on their device once the DRC INSIGHT Secure Application is launched. Make sure the audio is not muted and the volume is turned up before launching the application. • If headsets are shared between students, be sure to properly sanitize the devices between use. To optimize the testing experience for all students, it is suggested the testing environment allows for ample space between students. Even with headsets, audio from the assessment may still be audible a few feet away from the student. The following chart outlines guidance on headset features for use with DRC INSIGHT. Configuration Suitability Pros and Cons Comfortable when worn for a longer time period by students of different ages. Weight and size of headsets can be selected based Over the ear Ideal on students' age. Portable headsets are smaller and lighter and headset hence may be suitable for younger students. Deluxe headsets are larger and heavier but have the advantage of reducing more noise. Noise cancellation often does not cancel out the sound of human voices, so this feature provides less benefit. Noise canceling Acceptable headphones Many headsets with a noise cancellation feature require a power source (e.g., batteries or USB connection). Ear buds or ear Sound volume can vary based on the positioning of the buds in the Acceptable headphones ear, resulting in inconsistent audio playback. Audio playback built into devices generally do not offer very high fidelity, which can lead to poor audio quality. Device speakers do Device speakers Marginal not offer privacy during the test. To ensure test security, students should not use Bluetooth or wireless headsets. Some Bluetooth devices can be connected to multiple devices at Bluetooth or once. This creates the possibility for students to connect them to Not recommended wireless headsets their testing device and their smartphones. Test Administrators need to be aware that smartphones are turned off and/or not present and not connected to any peripherals a student is using during the assessment. Play Back Mode: The sound files of the assessment are recorded and played back in Optional Stereo stereo. Many USB-connected headsets require driver installation and need Connector Plug: to be manually enabled as the preferred playback device. USB Some computers have two ports for connecting audio-out and Single 3.5 mm Optional audio-in separately, while others have one port for both. plug (TRRS) Dual 3.5 mm Make sure to check your specific equipment before purchasing plugs (TRS) headsets. Adapters for both types are widely available. This is a nice optional feature as headsets that do not have an Volume Control: Optional inline volume control will need to be tested for volume prior to Inline launching DRC INSIGHT Secure Application.

Guidance for delivering assessments with audio to help maximize the potential for testing success



70 Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/

Testing Site Capacity Estimator for ELL Assessment



				Launch of DRC INSIGHT							
Content Management Information				Av	erage Time f	to Dow	nload Test	Engine	0.000 S	Seconds (G	ood)
Using COS Service Device for Content Hosting	Yes - At the District		0	Start of Test							
Testing Region	US-East Coast		0	Average Time to Down	load a Readi	ng Don	nain Testin	g Form	0.000 S	econds (G	ood)
Testing Volume Information				Average Time to Downl	oad a Listeni	ng Don	nain Testin	g Form	0.000 S	Seconds (G	ood)
Students Testing Reading Domain at the Same Time	0		0	Average Time to Download a Writing Domain Testing Form 0.000 Seconds (Go					ood)		
Students Testing Listening Domain at the Same Time	0		0	Average Time to Download a Speaking Domain Testing Form 0.000 Seconds (Good					ood)		
Students Testing Writing Domain at the Same Time	0		0	During the Test							
Students Testing Speaking Domain at the Same Time	0		0	Average Wait Time Between Reading Items 0.000 Second					Seconds (G	ood)	
Total Students Testing at the Same Time	0		0	Average	e Wait Time	Betwee	en Listening	g Items	0.000 S	Seconds (G	ood)
				Avera	ge Wait Time	e Betwo	een Writing	g Items	0.000 S	Seconds (G	ood)
Estimated % of Students Starting the Test at Nearly the Same Time	50%		0	Average Wait Time Between Speaking Items 0.000 Second			Seconds (G	ood)			
Estimated % of Students Responding at Nearly the Same Time	10%		0								
Network Information				Good Performance	А	ccepta	ble Perforn	nance		Poor Perf	ormanc
Internet Service Provider Connection Capacity	1000	(Mbps)	0		Average Form per Test	Size	Average Si Each Resp		Average S Next It		
Wide Area Network (WAN) Connection Capacity	1000	(Mbps)	0	Reading Domain		МВ	5.0	KB	2.5	MB	
Local Area Network (LAN) Connection Capacity	1000	(Mbps)	0	Listening Domain	1.0	МВ	5.0	КВ	2.5	MB	
Testing Devices Average Connection Speed	10	(Mbps)	0	Writing Domain	1.0	МВ	25.0	КВ	2.5	МВ	
Percent of Bandwidth Available for Testing	80%		0	Speaking Domain*	1.0	MB	1.2	МВ	2.5	МВ	
Type of Internet Connection	Fiber	v	0	Test Engine	3.6	MB	*;	80 KB sli	ices/sec for	r 15 secs	
Important: The Testing Site Capacity Estimator can only provide an est	imate—it cannot factor in all po	ossible vari	ables ar	id possible network traffic that ca	in impact perf	ormance	e.				N


Assists site planning by factoring in site variables and showing how they may impact performance and student's testing experience



71 Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/

COS Service Device Decision Guide





Helps answer:

"Where should the COS Service Device be located?"

Location guidance based on testing population and available network capacity.




72 Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/

Online Tools Training (OTT)



EPÁRTMENT OF EDUCAT



- Dedicated toll-free number and email address automatically directed to certified agents
 - LASLinksHelpDesk@DataRecognitionCorp.com
 - 855-839-1181 Option 2 (8:00 a.m. 4:30 p.m. ET)
- DRC Customer Service assists in areas such as:
 - Testing device and COS Service Device setup and configuration
 - Troubleshooting
 - Accessing secure documents and materials
 - Providing Username and Password resets
 - Tips for navigating the user interface












Path to Successful Testing






Accessing This Presentation



These slide and a recording of this session will be posted on:

Connecticut DRC LAS Links Website https://laslinks.com/connecticut-information/





DATA RECOGNITION DRC CORPORATION

DRCINSIGHTTM ONLINE LEARNING SYSTEM

Questions



DATA RECOGNITION





78